Qty:

8 Um:

Each

: ANGLE BRACKET

: D32581

: N/A

: D3258 REV A

: 21/12/2008

Thursday, 20/11/2008 3:36:16 PM

Julie Dawson

# **Process Sheet**

**Drawing Name** 

Part Number

Material **Due Date** 

**Drawing Number** 

**Project Number** 

**Drawing Revision** 

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 43639

**Estimate Number** 

: 10891

P.O. Number

This Issue Prsht Rev.

**Previous Run** 

Written By

: 20/11/2008

First Issue

: NC

: // : 37508 Type

S.O. No. :

: SMALL/MED FAB

**Checked & Approved By** 

Comment

Est Rev:C Now on Waterjet 06-12-13 JLM

**Additional Product** 

Job Number:



Seq. #:

**Machine Or Operation:** 

Description:

1.0

M304S16GA

Comment: Qty.:

0.0053 sf(s)/Unit Total:

0.0420 sf(s)

304/316 .063 Sheet 16 Gauge

Batch: 109057

2.0

WATER JET

FLOW WATER JET

304/316 Sheet .063





1-Cut as per Dwg D3258 Dwg Rev:

Prog Rev:\_

18 8-13-10

2-Deburr if necessary

3.0

QC2

HB8-12-10

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8

SECOND CHECK

Comment: SECOND CHECK

5.0

BRAKE NC

NC BRAKE

Comment: NC BRAKE Deburr if necessary Form as per Dwg D3258

# **Dart Aerospace Ltd**

	-				1					
W/O:			WO	<b>RK ORDER CHANG</b>	ES					
DATE	DATE STEP PROCEDURE CHANGE			IGE	:	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
-					i i					
						:				
			•		i					
					1					
Part No	:	PAR #:	Fault Categ	ory:	NC	R: Yes	No <b>DQ</b>	A:	Date: _	
	Re	solution:	Disposition	:	_ QA	: N/C CI	osed:		Date: _	
NCR:			WORK ORDE	R NON-CONFORMA	NCE	(NCF	R) ·			*
DATE	0750	Description of NC:			on B		Verific	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng		Sign 8 Date		on C	Chief Eng	QC Inspector
					i					
					'					
					:					
					İ					
					-					 

NOTE: Date & initial all entries

Date: Thursday, 20/11/2008 3:36:16 PM User: Julie Dawson **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: ANGLE BRACKET Job Number: 43639 Part Number: D32581 Job Number: Seq. #: **Machine Or Operation:** Description: 6.0 QC5 INSPECT WORK TO CURRENT STEP Comment: INSPECT WORK TO CURRENT STEP 7.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 8.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE Job Completion

### **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES							
DATE STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
						1			
						-			
-	11								

Part No: \_\_\_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Verification	Approval Chief Eng	Approval QC Inspector			
DATE STEP Descript Sect		Section A	Initial Chief Eng	Initial   Action Description   Sign &			Section C		
				į					
				· !					
				1					
NOTE: D	ate & initial a	all entries			1				


DART AEROSPACE LTD	Work Order: 2	13031
Description: Angle Bracket	Part Number:	D3258-1
Inspection Dwg: D3258 Rev: A		Page 1 of 1


Inspection Dwg: D3	3258 <b>Rev</b> : A	\				Pag	e 1 of 1
,	FIRST A	ARTICLE IN	ISPECTIO	ON CHE	CKLIST		
-	X	First Artic	cle	Proto	type		
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Com	nments
0.500	+/-0.010	,497	8				
1.050	+/-0.010	1.049	×				
0.250	+/-0.010	. 749	¥				
0.202	+/-0.010	.ેજ	16				
1.454	+/-0.010	1,459	×				
Ø0.206	+0.005/-0.001	,304	*	-			
R0.125	+/-0.010	135	×				
			ļ				
							. ·
						<u>.</u>	
							·
Measured by:		Audited by:	<del>2</del> 1.		Prototype Ap	<del></del>	N/A
Date: 9	0-13-10	Date:	08/12/1	<u></u>		Date:	N/A
Rev Date Change Payised by Approved							

Rev	Date	Change	Revised by	Approved
Α	07.01.17	New Issue	KJ/JLM	




DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTAR	
CHECKED	APPROYED	DRAWING NO. D3258	REV. A SHEET 1 OF 1
04.01.	27	ANGLE BRACKET	SCALE 1:1
А	04.01.27	NEW ISSUE	





#### D3258-1 FLAT PATTERN



### D3258-1 ANGLE BRACKET

RETURN TO **ENGINEERING** UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

#### NOTES:

- 1) BREAK ALL SHARP EDGES 0.005 to 0.015
- 2) MATERIAL: AISI 304/316 SS 0.063 (16 GAUGE) THICK (REF. DART SPEC. M304S16GA)
- FINISH: NONE
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- ALL DIMENSIONS ARE INCHES
- 6) ENGRAVE DART P/N AS SHOWN

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.